





TRIMABLE OUTPUT STAGES

REVISIONS				
REV	ECO #	DESCRIPTION	DATE	APPROVAL
A		INITIAL RELEASE	6/29/01	J. Dombrowski
B	4655	DESIGNS ERRORS	8/21/01	J. Dombrowski
C	4728	ESD PROTECTION	1/18/02	J. Dombrowski
D	4861	Correct Crystal Operation	22APR04	L. Stanton
E	4891	VENDOR CHANGE	6/18/04	J. Dombrowski



APPROVALS		DATE	
J DOMBROWSKI		6/29/01	





SIZE	DRAWING NUMBER	REV
D	92-1156	E
6-9-2004_15:13		SHEET 3 OF 3

Changes Rev. C to Rev. D

Page 3 Zone C3  
Delete Qty. 2, 62-50 (Cap, 18pF), C131,132  
Add Qty. 2, 62-41 (Cap, 33pF), C131,132  
Delete Qty. 1, 2-283 (Res, 10M), R75  
Add Qty. 1, 6-280 (Res, 1M), R75

Changes Rev. D to Rev. E

Page 2 Zone A,B,C,D- 3,4  
Delete Qty. 5, 62-122 (Cap, 0.47uF), C93-97  
Add Qty. 5, 62-139 (Cap, 0.22uF), C93-97  
Delete Qty. 5, 62-124 (Cap, 8200pF), C83-87  
Add Qty. 5, 62-140 (Cap, 22,000pF), C83-87  
Delete Qty. 5, 6-560 (Res, 1.78k), R95-99  
Add Qty. 5, 6-291 (Res, 604), R95-99